

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 1 of 13

1 IDENTIFICATION

Product Name:	Bushman Repellent Plus Personal Insect Repellent Pump Spray
Other Names:	Plus Pump Spray (BP100P)
Chemical Names:	Diethyltoluamide (DEET), Ethanol, N-octyl bicycloheptene dicarboximide
Uses:	Personal insect repellent
Supplier:	
Name:	Juno Ltd
Address:	68 Bond St West, Modialloc, Vic. 3195 Australia
Telephone:	+61 (0)3 9587 8514
Email:	info@junolabs.com.au
Emergency Telephone:	For ambulance, fire, police call: 000. For medical advice call: 13 11 26

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information."

2 HAZARDS IDENTIFICATION

The hazard information contained in this SDS is for non-consumers handling the product and its ingredients. Consumers should refer to the APVMA approved label on the container for advice in relation to use and handling of the product.

Classified as hazardous according to the criteria of the GHS as adopted in Australia.
Classified as a Dangerous Good according to ADG 7.7.

Poisons Schedule: Not Scheduled

Flammable Liquid	Category 2	H225	Highly flammable liquid and vapour
Eye irritation/corrosion	Category 2A	H319	Causes serious eye damage
Skin Corrosion/irritation	Category 2	H315	Causes skin irritation

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 2 of 13



Signal Word: Warning

Note: the following statements apply to non-consumers and manufacturing facilities. Consumers should follow the product label for safety advice.

Precautionary statements	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233	Keep container tightly closed.
	P240	Ground and bond container and receiving equipment.
	P242	Use non-sparking tools.
	P243	Take action to prevent static discharges.
	P261	Avoid breathing spray
	P264	Wash hands thoroughly after handling
	P270	Do not eat, drink or smoke when using this product
	P272	Contaminated work clothing should not be allowed out of the workplace
	P280	Wear protective gloves/protective clothing/eye protection

Response:

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
P330	Rinse mouth
P302 + P352	IF ON SKIN: Wash with plenty water
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P332 + P313	If skin irritation occurs: Get medical advice/attention
P362 + P364	Take off contaminated clothing and wash it before reuse
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical attention.
P370 + P378	In case of fire: Use alcohol-resistant foam (preferred) or fine water spray to extinguish.

Storage:

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	--

Disposal:

P501	Dispose of contents and empty container in accordance with local/ regional/ national/ international Regulations.
------	--

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 3 of 13

3 COMPOSITION AND INFORMATION ON INGREDIENTS

Substance Name	CAS Number	Concentration (%w/v)
Ethanol	64-17-5	30 - 60
Diethyltoluamide (DEET)	134-62-3	20
N-octyl bicycloheptene dicarboximide (MGK-264)	113-48-4	1.2
Other proprietary ingredients not individually contributing to the hazard classification		10 - 30

4 FIRST-AID MEASURES

**If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone 13 11 26.**

First-Aid for handlers other than consumers. Consumers should follow label directions	
Inhalation	Specific treatment not normally required. If breathing difficult move to fresh air and keep at rest in a position comfortable for breathing. Apply resuscitation if victim is not breathing.
Skin Contact	Intended for application to skin. If irritation occurs discontinue use. If irritation persists or skin sensitisation occurs seek medical advice.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists obtain medical advice.
Ingestion	Drink 1 or 2 glasses of water. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention. Contact a doctor or Poisons Information Centre. Phone 13 11 26.
Special Advice/Treatment:	No specific antidote. Treat symptomatically
Symptoms caused by exposure	Ethanol is severely irritating to the eyes. The vapour at high levels is irritating to the eyes and respiratory tract. The substance may cause effects on the central nervous system. defats the skin, which may cause

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 4 of 13

	dryness or cracking. The substance may have effects on the upper respiratory tract and central nervous system. This may result in irritation, headache, fatigue and lack of concentration. The product is irritating to the skin, eyes and mucous membranes. It may cause skin sensitisation.
--	---

5 FIRE-FIGHTING MEASURES

Extinguishing Media:	Use alcohol-resistant foam (preferred) or fine water spray, water fog, dry chemical or carbon dioxide for extinction.
Specific hazards arising from the chemical:	May produce irritating and/or asphyxiating gases including carbon monoxide, carbon dioxide and oxides of nitrogen. Flash Point: 23.4°C (closed cup). Explosion Limits: Lower: 3.5% (ethanol); Upper 19% (ethanol)
Special protective equipment and precautions for firefighters:	Wear self-contained breathing apparatus and protective clothing if no risk of ignition. If potential for ignition keep containers cool by spraying water mist from a safe distance. Prevent run-off from entering drains, sewers and waterways.
Hazchem Code:	•3Y

6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

The consumer product is packaged in small containers. Large spills are unlikely.

In case of **small spill**, Mop or wipe up and if necessary spread an absorbent material such as soil or sand over the spilled product. **For large spills:** Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate all sources of ignition and take measures to prevent static discharge. No smoking. Stop leak if safe to do so. Use water spray to disperse vapour. Cover spilled product with non-combustible absorbent material (e.g. sand, soil, vermiculite) See Section 8 for appropriate protective personal protective equipment.

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 5 of 13

Environmental Precautions:

Do not allow material to enter waterways or sewer. If large quantities of this material enter the waterways contact the Environmental Protection Authority.

Methods and materials for containment and cleaning up of spill:

In case of **small spill**, – sweep up absorbent material. Collect packaging and absorbent material, wrap in paper and dispose of in garbage. Wash area with water and detergent.

For large spills: Shovel absorbent material into clean, dry, labelled flammable waste containers and close lids. See Section 13 for disposal of the absorbent material at a landfill.

Recycle any unused portion of the material for its approved use or return it to the manufacturer or supplier. Ultimate disposal of the chemical must consider: the material's impact on air quality; potential migration in air, soil or water; effects on animal, aquatic and plant life; and conformance with environmental and public health regulations.

7 HANDLING AND STORAGE

Precautions for Safe Handling:

The consumer product is designed for application to the skin. For non-consumer handling avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge. Wash hands before breaks and at the end of workday.

Conditions for Safe Storage:

Store in dry, well-ventilated area out of reach of children and away from ignition sources, including flames and heat. Keep containers closed. Store away from oxidising materials.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Limits: Exposure limits have been established by Safe Work Australia for some components of this product. This section is relevant to non-consumer handlers. Consumers should follow the product label for personal protection advice.

Substance	SWA (ppm)	TWA (mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Comments
Ethanol	1000	1800			

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 6 of 13

Engineering Controls:

Local exhaust and/or mechanical exhaust, fitted with flame and explosion proof electrical fittings recommended. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure

Personal Protective Equipment (Manufacturing environment):

Eye and Face Protection:

Eye protection (face shield or chemical resistant goggles) should be worn where there is potential for product to be splashed onto face or into eyes. Note that DEET softens many plastics and face shields/goggles may be damaged if they come into contact with DEET.

Skin and Body Protection:

Consumer Product is intended for application to skin, hence, protection not required. Wear appropriate long-sleeved personal protective clothing to prevent skin contact. Chemical resistant gloves (butyl rubber) and footwear should be used when handling large quantities of the product.

Respiratory Protection:

Not normally required. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose organic vapour respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

9 PHYSICAL AND CHEMICAL PROPERTIES

physical state/colour	Clear viscous liquid	pH	5.5 – 6.5
odour	Scented	kinematic viscosity	1.074 mPa.s at 25 °C (ethanol)
melting point/freezing point	Not applicable	solubility	Not soluble or miscible in water
boiling point or initial boiling point and boiling range	78.2 °C (Ethanol) 290 °C (DEET)	partition coefficient: n-octanol/water (log value)	No data found
flammability	Highly flammable liquid	vapour pressure	10 kPa at 29.2 °C (ethanol); 0.002 mm Hg at 25 °C (DEET)
lower and upper explosion limit/flammability limit	Ethanol lower limit 3.8%. upper limit 19%	density and/or relative density	0.854 – 0.874 @ 22°C

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 7 of 13

flash point	14°C (Closed cup – Ethanol)	relative vapour density,	No data found
Auto-ignition temperature	Ethanol - 287 °C	particle characteristics	Not applicable
decomposition temperature	No data found		

10 STABILITY AND REACTIVITY

Reactivity:

Highly flammable. Ethanol Explodes on contact with calcium hypochlorite Vapor may explode if ignited in an enclosed area. Containers may explode when heated or involved in a fire. Also explodes in contact with many other chemicals.

Chemical Stability:

Stable under normal conditions.

Possibility of hazardous reactions:

Not known to polymerise.

Conditions to Avoid:

Excessive heat, sparks and flame

Incompatible materials:

Oxidizers, strong acids and alkalis, alkali metals, alcohols, peroxides and polyols.

Hazardous decomposition products:

When heated to decomposition will produce asphyxiating and irritating gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:**Oral:**

Low toxicity. Product estimated LD₅₀ > 2,000 mg/kg

Inhalation:

Not a likely route of exposure. Low toxicity expected. Could cause irritation.

DEET: Rat 4-hour LC₅₀ > 2.02 mg/L.

Ethanol: Under normal conditions of use and handling, no inhalation hazard is present (rat 10-hour LC₅₀ 20g/L). It may cause irritation to respiratory system if inhaling concentrated vapor of this liquid.

Symptoms may include coughing, drowsiness, dizziness and tightness in chest.

Dermal:

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 8 of 13

Low toxicity. Product estimated LD50 >2000 mg/kg

Skin Corrosion/Irritation:

May cause irritation in some people.
DEET: Causes skin irritation.
Ethanol: Irritant to skin. For long-time or repeated contact, it can cause skin dryness.
MGK264: Based on available data not classified as a skin irritant.

Eye Damage/Irritation:

Can cause eye irritation. Liquid or mists sprayed into the eye may cause severe irritation or damage to the eyes.
DEET and ethanol causes serious eye irritation.
MGK264: Based on available data not classified as an eye irritant.

Sensitisation:

Based on available data not classified as skin sensitiser.

Germ cell mutagenicity:

Based on available data not classified as causing skin or respiratory sensitisation.

Carcinogenicity:

Not classified as a carcinogen although IARC has classified ethanol as a carcinogen based on the effects caused by drinking alcoholic beverages. Occupational exposure is not known to result in carcinogenic effects.

Reproductive toxicity:

No evidence of reproduction and developmental toxicity in laboratory animals.

Specific Target Organ Toxicity:

No data are available for the product. Long term ingestion of ethanol may cause changes in liver, kidneys, gastrointestinal tract and heart muscle.

Aspiration Hazard:

Based on available data not classified as an aspiration hazard.

Information on possible routes of exposure:

Ingestion, eye contact, inhalation and dermal.

Early onset symptoms related to exposure:

Ethanol: nausea, vomiting, CNS depression, acute respiratory failure.
DEET: eye and mucous membrane irritation.
MGK 264: central nervous excitation.

Delayed health effects from exposure:

Ethanol: Death and with chronic use, severe health problems, such as liver and brain damage.
DEET: No chronic health hazards are likely for this material.
MGK 264: depression

Interactive Effects:

No information found.

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 9 of 13

12 ECOLOGICAL INFORMATION

Ecotoxicity:

Based on information for the active constituent (DEET).

LC ₅₀ fish	97 mg/L (96 hours)
EC ₅₀ crustacea	75 mg/L (96 hours)
EC ₅₀ Other aquatic organisms	> 1000 mg/l microorganisms (3 hours)
ErC ₅₀ algae	41 mg/l (72 hours)
NOEC chronic algae	7.6 mg/l (72 hours)

Ethanol: Lowest found EC₅₀ – 34.9 g/L. No chronic data found.

LPG

Persistence and Degradability:

The active constituent (DEET) modelling suggests rapid to moderate degradation. DEET: degraded in the atmosphere photochemically. Biodegradation in soil and water reached, 0% in 28 days,

MGK 264: not expected to degrade in the atmosphere photochemically. Based on an aerobic biodegradation half-life of 341 days in soil, MGK 264 is not expected to biodegrade in water.

Contains materials of mineral origin that are likely to persist in the environment.

Ethanol: rapidly degraded in anaerobic microcosms. Mean half-life of 5.9 days for aerobic biodegradation.

Bioaccumulation Potential:

Ethanol: The estimated BCF of 3, from its from its log K_{ow} of -0.31 and a regression-derived equation, suggests the potential for bioconcentration in aquatic organisms is low.

DEET: BCFs of 0.8-2.4 measured in carp suggest bioconcentration in aquatic organisms is low.

MGK 264: The estimated BCF of 130, its log K_{ow} of 3.7 and a regression-derived equation, suggests the potential for bioconcentration in aquatic organisms is high. MGK 264 did not undergo hydrolysis after 30 days under environmental conditions (pH 5 to 9)..

Mobility in soil:

Ethanol: The log K_{oc} value of 0.20, indicates that ethanol is expected to have very high mobility in soil.

DEET: expected to have high mobility based on a Log K_{oc} of 43.3.

MGK 264: K_{oc} values of 636 and 310 indicate that MGK 264 is expected to have low to slight mobility in soil.

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 10 of 13

13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Small quantities: small quantities may be disposed of in household garbage. Do not incinerate.

Large quantities: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. Do not incinerate. Containers may contain residual alcohol which could cause explosion if exposed to sources of ignition or heat. Note Section 8 when disposing of large quantities.

14 TRANSPORT INFORMATION

Consult the ADG 7.7, IMDG and ICAO/IATA Codes for all the transport requirements for the specified UN Number.

	Land Transport (ADG 7.7)	Sea Transport (IMDG)*	Air Transport (ICAO/IATA)*
UN Number	1993	1993	1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (contains ethanol)	FLAMMABLE LIQUID, N.O.S. (contains ethanol)	FLAMMABLE LIQUID, N.O.S. (contains ethanol)
Transport Hazard Class	3	3	3
Packaging Group	III		
Marine Pollutant		No	
Limited Quantities*	5L		

* Consult IMDG Code for sea transport and ICAO/IATA Code for air transport provisions and instructions

Environmental hazards for transport purposes	Not classified as an aquatic hazard. Not a marine pollutant.
Special Precautions for User:	Keep away from sources of heat.
Hazchem Code:	•3Y

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 11 of 13

15 REGULATORY INFORMATION

Poison Scheduling:	Not Scheduled
APVMA Registration No:	69463
Listing in the Australian Inventory of Chemical Substances (AICS)	Not applicable for APVMA registered products.

Montreal Protocol (Ozone depleting substances) https://www.environment.gov.au/protection/ozone/montreal-protocol	Does not contain an ozone depleting substance
The Stockholm Convention (Persistent Organic Pollutants) http://chm.pops.int/Home/tabid/2121/Default.aspx	Does not contain a POP
The Rotterdam Convention (Prior Informed Consent) http://www.pic.int/TheConvention/Chemicals/AnnexIIIChemicals	Not a chemical included in Annex III
Basel Convention (Hazardous Waste)	The Basel Convention may be triggered when disposing of this product as a waste. See Annex 1 Categories of Wastes to be Controlled.
International Convention for the Prevention of Pollution from Ships (MARPOL)	Human health: See section 11. Bioaccumulation & Biodegradation: see section 12. Aquatic toxicity: See section 12. Interference with other uses of the sea: none known

16 OTHER RELEVANT INFORMATION

Glossary:

ADG	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017
AS/NZS	Australian Standard/New Zealand Standard
BCF:	Bioconcentration Factor - a measure for the characterization of the accumulation of a chemical in an organism. It is defined as the concentration of a chemical in an organism (plants, microorganisms, animals) divided by the concentration in a reference compartment (e.g. food, surrounding water).
CAS Number:	Unique Chemical Abstracts Service Registry Number
EC₅₀:	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species).
ErC₅₀	The concentration of test substance which results in a 50 percent reduction in growth rate.
Explosive Limits:	The range of concentrations (% by volume in air) of a flammable gas or vapour that can result in an explosion for ignition in a confined space.
GHS:	Globally Harmonized System of classification and labelling of chemicals (GHS)

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016

Page 12 of 13

Hazchem Code:	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HCIS:	Hazardous Chemical Information System (http://hcis.safeworkaustralia.gov.au/HazardousChemical)
IARC:	International Agency for Research on Cancer
IDLH:	Immediately dangerous to life or health (IDLH) is defined by the US National Institute for Occupational Safety and Health (NIOSH)
K_{oc}	The organic carbon partition coefficient (mL soil water /g organic carbon).
LC₅₀:	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population.
LC₅₀	The dose of a chemical that will kill 50% of the test animals receiving it.
NTP:	National Toxicology Program (USA)
pH:	Measure of how acidic or alkaline a material is using a 1 - 14 scale. pH 1 is strongly acidic and pH 14 strongly alkaline
P_{ow}:	The octanol-water partition coefficient. Commonly used to indicate potential the fate of chemicals in the environment
SDS:	Safety Data Sheet
STEL:	Short term exposure limit (STEL) means the time-weighted average maximum airborne concentration of a substance calculated over a 15 minute period.
SWA:	Safe Work Australia.
TWA:	8-hour Time-weighted average (TWA) means the maximum average airborne concentration of a substance when calculated over an eight-hour working day, for a five-day working week.
WES:	Workplace exposure standard
UN Number:	United Nations Dangerous Goods Number

References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (2020). The exposure standards comply with the Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.7, 2020. Other information from ChemIDPlus and linked databases and the European Chemicals Agency Classification and Labelling database. OECD SIDS.

Date Prepared:	5 October 2021
Replaces:	15 December 2016
Sections Revised:	All

Disclaimer

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice). The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the

SAFETY DATA SHEET

Product:	Bushman Repellent Plus Personal Insect Repellent Pump Spray	Date Prepared: 5 October 2021
Company:	Juno Ltd	Replaces: 15 Dec 2016
Page 13 of 13		

present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Juno Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

© Copyright 2021 Juno Limited. License granted to make unlimited paper copies for internal use only.